

CONTACT EVENHEAT FOR DEALER/DISTRIBUTOR OPPORTUNITIES, ORDERING & DISCOUNT INFORMATION

| Evenheat Product Index | | evenheat-kiln.com | |
|---|---------|---|---------|
| RM II Series Kilns Cone 8 Automatic Models | Page 2 | RM Series Heating Elements <i>Kanthal A-1</i> | Page 10 |
| High Fire Series Kilns Cone 10 Automatic Models | Page 4 | Evolution Series Heating Elements <i>Kanthal A-1</i> | Page 11 |
| Evolution Series Kilns Square, Cone 8 Automatic Models | Page 5 | High Fire Series Heating Elements <i>Kanthal A-1</i> | Page 11 |
| Classic Series Kiln Kiln Sitter Equipped Models | Page 6 | TnB Series Heating Elements <i>Kanthal A-1</i> | Page 11 |
| Cross-Over, Special Use Kilns | Page 7 | Classic Series Heating Elements <i>Kanthal A-1</i> | Page 12 |
| Dyna-Lift Lid Lift Assist | Page 8 | DeLuxe 10 Series Heating Elements <i>Kanthal A-1</i> | Page 12 |
| Vent Systems | Page 8 | Fyrematic Series Heating Elements <i>Kanthal A-1</i> | Page 13 |
| Remote Controllers (Wall & Table Top) | Page 9 | Crossover Kiln Heating Elements | Page 13 |
| Furniture Kits & Shelves | Page 9 | Thermocouples & Pyrometers | Page 13 |
| Kiln Wash | Page 9 | Electronic Control Parts | Page 14 |
| Posts | Page 10 | Electrical Parts | Page 14 |
| | | Kiln Sitter Parts | Page 14 |
| | | Hardware | Page 15 |
| | | Stands | Page 15 |
| | | Lids & Doors | Page 15 |
| | | Floors | Page 16 |
| | | Brick 2-1/2" RM & Classic SS Models | Page 17 |
| | | Brick 3" High Fire SS Models | Page 22 |
| | | Brick 2-1/2" RM & Classic DLX Models | Page 25 |
| | | Brick 3" Evolution Models | Page 27 |
| | | Brick 2-1/2" RM & Classic 2541 Models | Page 28 |
| | | Brick 2-1/2" Deluxe 10 4218 & 4227 Models | Page 29 |

All kilns are shipped freight collect unless prior arrangements are made with Evenheat. All prices are F.O.B. Factory, Caseville Michigan, USA and are subject to change without notice or obligation. Shipping and handling charges will be added to all parcel shipments (UPS, FedEx, USPS). We reserve the right to make changes in our products or to meet requirements of available materials without notice or obligation.

| RM Series Ceramic Kilns – Solid State Models Available - 2-1/2" Brick Throughout - Cone 8 Maximum on Most Models | | | | | | | | | | | evenheat-kiln.com | |
|--|-------------------|---------------|----------------------------------|---------------------------------|--|---------------------------------------|------|-------|--|-------------------|-------------------|------------------------|
| Model | Volts | Control Style | Oven Part # w/ Mechanical Relays | Oven Price w/ Mechanical Relays | Oven Part # w/ Quiet Drive Solid State | Oven Price w/ Quiet Drive Solid State | Amps | Watts | Chamber Dimensions | Max. Usable Temp. | Power Receptacle | Oven Appr. Ship Weight |
| RM II 810 | 120V | Set-Pro | #10068.005 | \$995 | #10068.007 | \$1110 | 18A | 2160W | 11.25" Dia. x 9" Deep - .57 cu. feet 28.6cm Dia. x 22.9cm Deep – 16.1L | 2200°F 1204°C | NEMA 5-20R | 62 lb 28 kg |
| | | RM2 | #10068.000 | \$1205 | #10068.002 | \$1320 | | | | | | |
| | | Genesis | #10068.029 | \$1325 | #10068.031 | \$1440 | | | | | | |
| | | TAP | #10068.025 | \$1375 | #10068.027 | \$1490 | | | | | | |
| RM II 1210 | 120V | Set-Pro | #10068.150 | \$1060 | #10068.152 | \$1175 | 19A | 2280W | 11.25" Dia. x 13.5" Deep - .86 cu. feet 28.6cm Dia. x 34.3cm Deep – 24.4L | 1800°F 982°C | NEMA 5-20R | 70 lb 32 kg |
| | | RM2 | #10068.100 | \$1270 | #10068.102 | \$1385 | | | | | | |
| | | Genesis | #10068.189 | \$1390 | #10068.191 | \$1505 | | | | | | |
| | | TAP | #10068.185 | \$1440 | #10068.187 | \$1555 | | | | | | |
| RM II 1210B | 240V | Set-Pro | #10068.205 | \$1045 | #10068.206 | \$1160 | 13A | 3120W | 11.25" Dia. x 13.5" Deep - .86 cu. feet 28.6cm Dia. x 34.3cm Deep – 24.4L | 2300°F 1260°C | NEMA 6-20R | 70 lb 32 kg |
| | | RM2 | #10068.200 | \$1255 | #10068.202 | \$1370 | | | | | | |
| | | Genesis | #10068.214 | \$1375 | #10068.216 | \$1490 | | | | | | |
| | | TAP | #10068.210 | \$1425 | #10068.212 | \$1540 | | | | | | |
| RM II 1413 | 240V | Set-Pro | #10072.100 | \$1225 | #10072.102 | \$1340 | 15A | 3600W | 14.5" Dia. x 13.5" Deep – 1.3 cu. feet 36.8cm Dia. x 34.3cm Deep - 36.8L | 2300°F 1260°C | NEMA 6-20R | 100 lb 46 kg |
| | | RM2 | #10070.000 | \$1435 | #10070.002 | \$1550 | | | | | | |
| | | Genesis | #10072.109 | \$1555 | #10072.111 | \$1670 | | | | | | |
| | | TAP | #10072.105 | \$1605 | #10072.107 | \$1720 | | | | | | |
| RM II 1813 | 240V | Set-Pro | #10080.100 | \$1370 | #10080.102 | \$1600 | 18A | 4320W | 17.5" Dia. x 13.5" Deep – 2.0 cu. feet 44.5cm Dia. x 34.3cm Deep – 56.3L | 2300°F 1260°C | NEMA 6-30R | 155 lb 52kg |
| | | RM2 | #10080.000 | \$1580 | #10080.002 | \$1810 | | | | | | |
| | | Genesis | #10080.109 | \$1700 | #10080.111 | \$1930 | | | | | | |
| | | TAP | #10080.105 | \$1750 | #10080.107 | \$1980 | | | | | | |
| RM II 1822 | 240V | Set-Pro | #10120.000 | \$1555 | #10120.002 | \$1785 | 30A | 7200W | 17.5" Dia. x 22.25" Deep – 3.3 cu. feet 44.5cm Dia. x 56.5cm Deep – 93.4L | 2300°F 1260°C | NEMA 6-50R | 145 lb 66 kg |
| | | RM2 | #10100.000 | \$1765 | #10100.002 | \$1995 | | | | | | |
| | | Genesis | #10120.009 | \$1885 | #10120.011 | \$2115 | | | | | | |
| | | TAP | #10120.005 | \$1935 | #10120.007 | \$2165 | | | | | | |
| RM II 2322 | 240V ¹ | Set-Pro | #10146.000 | \$1925 | #10146.002 | \$2270 | 39A | 9240W | 23.5" Dia. x 22.25" Deep – 5.8 cu. feet 59.7cm Dia. x 56.5cm Deep – 164L | 2300°F 1260°C | NEMA 6-50R | 215 lb 98 kg |
| | | RM2 | #10130.000 | \$2135 | #10130.002 | \$2480 | | | | | | |
| | | Genesis | #10146.009 | \$2255 | #10146.011 | \$2600 | | | | | | |
| | | TAP | #10146.005 | \$2305 | #10146.007 | \$2650 | | | | | | |

| RM Series Ceramic Kilns – Solid State Models Available - 2-1/2" Brick Throughout - Cone 8 Maximum on Most Models | | | | | | | | | | | evenheat-kiln.com | |
|--|-------------------|---------------|----------------------------------|---------------------------------|--|---------------------------------------|------|---------|---|-------------------|-------------------|------------------------|
| Model | Volts | Control Style | Oven Part # w/ Mechanical Relays | Oven Price w/ Mechanical Relays | Oven Part # w/ Quiet Drive Solid State | Oven Price w/ Quiet Drive Solid State | Amps | Watts | Chamber Dimensions | Max. Usable Temp. | Power Receptacle | Oven Appr. Ship Weight |
| RM II 2329 | 240V ¹ | Set-Pro | #10166.000 | \$2195 | #10166.002 | \$2540 | 45A | 10,800W | 23.5" Dia. x 29" Deep – 7.5 cu. feet 59.7cm Dia. x 73.7cm Deep – 212L | 2300°F 1260°C | NEMA 6-50R | 240 lb 109 kg |
| | | RM2 | #10150.000 | \$2405 | #10150.002 | \$2750 | | | | | | |
| | | Genesis | #10166.009 | \$2525 | #10166.011 | \$2870 | | | | | | |
| | | TAP | #10166.005 | \$2575 | #10166.007 | \$2920 | | | | | | |
| RM II 2922 | 240V ¹ | Set-Pro | #10179.400 | \$2290 | #10179.402 | \$2635 | 48A | 11,520W | 29" Dia. x 22.25" Deep – 8.7 cu. feet 73.7cm Dia. x 56.5cm Deep – 246L | 2300°F 1260°C | NEMA 6-50R | 290 lb 132 kg |
| | | RM2 | #10178.000 | \$2500 | #10178.002 | \$2845 | | | | | | |
| | | Genesis | #10179.409 | \$2620 | #10179.411 | \$2965 | | | | | | |
| | | TAP | #10179.405 | \$2670 | #10179.407 | \$3015 | | | | | | |
| RM II 2929 | 240V ¹ | RM2 | #10180.000 | \$2860 | #10180.002 | \$3320 | 56A | 13,440W | 29" Dia. x 29" Deep – 11.3 cu. feet 73.7cm Dia. x 73.7cm Deep – 320L | 2300°F 1260°C | Direct Wire | 350 lb 159 kg |
| | | Genesis | #10180.009 | \$3075 | #10180.011 | \$3535 | | | | | | |
| | | TAP | #10180.005 | \$3125 | #10180.007 | \$3585 | | | | | | |
| RM II 2522 | 240V | RM2 | #10200.000 | \$2735 | #10200.002 | \$3080 | 47A | 11,280W | 41" W x 25.3" L x 22.5" D – 11.2 cu. Feet 104cm W x 64cm L x 57cm D – 317L | 2000°F 1093°C | NEMA 6-50R | 410 lb 186 kg |
| | | Genesis | #10200.109 | \$2950 | #10200.111 | \$3295 | | | | | | |
| | | TAP | #10200.105 | \$3000 | #10200.107 | \$3345 | | | | | | |
| RM II 2541 | 240V ¹ | RM2 | #10210.000 | \$3085 | #10210.002 | \$3545 | 60A | 14,400W | 41" W x 25.3" L x 29" D – 14.4 cu. Feet 104cm W x 64cm L x 74cm D – 317L | 2000°F 1093°C | Direct Wire | 450 lb 205 kg |
| | | Genesis | #10210.109 | \$3300 | #10210.111 | \$3760 | | | | | | |
| | | TAP | #10210.105 | \$3350 | #10210.107 | \$3810 | | | | | | |

¹ – Available in 3 Phase
RM Series kilns are not available in 208V. Choose a High Fire or Evolution model for 208V use.
Models RM II 2322, RM II 2329, RM II 2922, RM II 2929, RM II 2522 and RM II 2541 are available with Optional Patented Dyna-Lift Lid Lift Assist, Add \$405 (\$480 for models RM II 2922 and RM II 2929)

High Fire Series Ceramic Kilns – Solid State Models Available - 3" Brick Throughout - Cone 10 Maximum on Most Models **evenheat-kiln.com**

| Model | Volts | Control Style | Oven Part # w/ Mechanical Relays | Oven Price w/ Mechanical Relays | Oven Part # w/ Quiet Drive Solid State | Oven Price w/ Quiet Drive Solid State | Amps | Watts | Chamber Dimensions | Max. Usable Temp. | Power Receptacle | Oven Appr. Ship Weight |
|-----------------|-------------------|---------------|----------------------------------|---------------------------------|--|---------------------------------------|------|---------|--|-------------------|------------------|------------------------|
| HF 810 | 120V | Set-Pro | #10340.400 | \$1025 | #10340.402 | \$1140 | 18A | 2160W | 11.25" Dia. x 9" Deep - .57 cu. feet 28.6cm Dia. x 22.9cm Deep – 16.1L | 2300°F 1260°C | NEMA 5-20R | 62 lb 28 kg |
| | | RM2 | #10340.000 | \$1235 | #10340.002 | \$1350 | | | | | | |
| | | Genesis | #10340.504 | \$1355 | #10340.506 | \$1470 | | | | | | |
| | | TAP | #10340.500 | \$1405 | #10340.502 | \$1520 | | | | | | |
| HF 1210B | 240V | Set-Pro | #10342.400 | \$1085 | #10342.402 | \$1200 | 13A | 3120W | 11.25" Dia. x 13.5" Deep - .86 cu. feet 28.6cm Dia. x 34.3cm Deep – 24.4L | 2350°F 1288°C | NEMA 6-20R | 70 lb 32 kg |
| | | RM2 | #10342.000 | \$1295 | #10342.002 | \$1410 | | | | | | |
| | | Genesis | #10342.504 | \$1415 | #10342.506 | \$1530 | | | | | | |
| | | TAP | #10342.500 | \$1465 | #10342.502 | \$1580 | | | | | | |
| HF 1413 | 240V | Set-Pro | #10346.400 | \$1280 | #10346.402 | \$1395 | 15A | 3600W | 14.5" Dia. x 13.5" Deep – 1.3 cu. feet 36.8cm Dia. x 34.3cm Deep - 36.8L | 2350°F 1288°C | NEMA 6-20R | 130 lb 59 kg |
| | | RM2 | #10346.000 | \$1490 | #10346.002 | \$1605 | | | | | | |
| | | Genesis | #10346.504 | \$1610 | #10346.506 | \$1725 | | | | | | |
| | | TAP | #10346.500 | \$1660 | #10346.502 | \$1775 | | | | | | |
| HF 1813 | 240V | Set-Pro | #10347.400 | \$1465 | #10347.402 | \$1695 | 21A | 5040W | 17.5" Dia. x 13.5" Deep – 2.0 cu. feet 44.5cm Dia. x 34.3cm Deep – 56.3L | 2350°F 1288°C | NEMA 6-30R | 150 lb 68 kg |
| | | RM2 | #10347.000 | \$1675 | #10347.002 | \$1905 | | | | | | |
| | | Genesis | #10347.802 | \$1795 | #10347.804 | \$2025 | | | | | | |
| | | TAP | #10347.700 | \$1845 | #10347.702 | \$2075 | | | | | | |
| HF 1818 | 240V | RM2 | #10348.000 | \$1885 | #10348.002 | \$2115 | 28A | 6672W | 17.5" Dia. x 18" Deep – 2.7 cu. feet 44.5cm Dia. x 45.7cm Deep – 76.5L | 2350°F 1288°C | NEMA 6-30R | 180 lb 82 kg |
| | | Genesis | #10348.502 | \$2100 | #10348.504 | \$2230 | | | | | | |
| | | TAP | #10348.400 | \$2150 | #10348.402 | \$2380 | | | | | | |
| HF 2318 | 240V | RM2 | #10349.500 | \$2655 | #10349.502 | \$2885 | 31A | 7440W | 23.5" Dia. x 18" Deep – 4.7 cu. feet 59.7cm x 45.7cm Deep – 133L | 2350°F 1288°C | NEMA 6-50R | 290 lb 132 kg |
| | | Genesis | #10349.805 | \$2870 | #10349.810 | \$3100 | | | | | | |
| | | TAP | #10349.700 | \$2920 | #10349.702 | \$3150 | | | | | | |
| HF 2327 | 240V ¹ | RM2 | #10350.000 | \$3040 | #10350.002 | \$3385 | 48A | 11,520W | 23.5" Dia. x 27" Deep – 7.0 cu. feet 59.7cm Dia. x 68.6cm Deep – 198L | 2350°F 1288°C | NEMA 6-50R | 330 lb 150 kg |
| | | Genesis | #10352.105 | \$3255 | #10352.110 | \$3600 | | | | | | |
| | | TAP | #10352.000 | \$3305 | #10352.002 | \$3650 | | | | | | |
| HF 2918 | 240V | RM2 | #10410.000 | \$3235 | #10410.002 | \$3695 | 48A | 11,520W | 29" Dia. x 18" Deep – 7.0 cu. feet 73.7cm Dia. x 45.7cm Deep – 198L | 2350°F 1288°C | NEMA 6-50R | 350 lb 159 kg |
| | | Genesis | #10412.015 | \$3450 | #10412.020 | \$3910 | | | | | | |
| | | TAP | #10412.005 | \$3500 | #10412.007 | \$3960 | | | | | | |
| HF 2927 | 240V ¹ | RM2 | #10413.000 | \$3535 | #10413.002 | \$3995 | 59A | 14,164W | 29" Dia. X 27" Deep – 10.5 cu. Feet 73.7cm Dia. X 68.6cm Deep – 297L | 2350°F 1288°C | Direct Wire | 430 lb 195kg |
| | | Genesis | #10414.505 | \$3750 | #10414.515 | \$4210 | | | | | | |
| | | TAP | #10414.400 | \$3800 | #10414.402 | \$4260 | | | | | | |

All HF models except HF 810 are available in 208V, 1 – Available in 3 Phase, Models HF 2318, HF 2327, HF 2918 and HF 2927 Equipped with Patented Dyna-Lift Lid Lift Assist

| Evolution Series Ceramic Kilns – Solid State Models Available - 3” Brick - Cone 8 Maximum on All Models | | | | | | | | | | | evenheat-kiln.com | |
|---|-------------------|---------------|----------------------------------|---------------------------------|--|---------------------------------------|------|---------|---|-------------------|-------------------|------------------------|
| Model | Volts | Control Style | Oven Part # w/ Mechanical Relays | Oven Price w/ Mechanical Relays | Oven Part # w/ Quiet Drive Solid State | Oven Price w/ Quiet Drive Solid State | Amps | Watts | Chamber Dimensions | Max. Usable Temp. | Power Receptacle | Oven Appr. Ship Weight |
| Evolution 2318 | 240V | RM2 | #10422.100 | \$3275 | #10422.102 | \$3505 | 37A | 8880W | 23" W x 23" L x 18" D – 5.2 cu. feet 58.4cm W x 58.4cm L x 45.7 D – 147L | 2300°F 1260°C | NEMA 6-50R | 270 lb 123 kg |
| | | Genesis | #10422.122 | \$3490 | #10422.124 | \$3720 | | | | | | |
| | | TAP | #10422.115 | \$3540 | #10422.117 | \$3770 | | | | | | |
| Evolution 2327 | 240V ¹ | RM2 | #10422.500 | \$3755 | #10422.502 | \$4100 | 48A | 11,520W | 23" W x 23" L x 27" D – 7.8 cu. feet 58.4cm W x 58.4cm L x 68.6 D – 221L | 2300°F 1260°C | NEMA 6-50R | 310 lb 141 kg |
| | | Genesis | #10422.552 | \$3970 | #10422.554 | \$4315 | | | | | | |
| | | TAP | #10422.540 | \$4020 | #10422.542 | \$4365 | | | | | | |

Both Evolution 2318 and 2327 are available in 208V
1 – Available in 3 Phase

| Classic Series Ceramic Kilns – 2-1/2” Brick Throughout – Cone 8 Maximum on Most Models | | | | | | | | | | evenheat-kiln.com |
|--|-------------------|-------------------|-------------|------------|------|---------|--|----------------------|------------------|--------------------------|
| Model | Volts | Control Style | Kiln Part # | Kiln Price | Amps | Watts | Chamber Dimensions | Maximum Usable Temp. | Power Receptacle | Kiln Approx. Ship Weight |
| 810 | 120V | Manually Operated | #00410.000 | \$1115 | 18A | 2160W | 11.25" Dia. x 9" Deep - .57 cu. feet 28.6cm Dia. x 22.9cm Deep – 16.1L | 2200°F 1204°C | NEMA 5-20R | 62 lb 28 kg |
| 1210 | 120V | Manually Operated | #00460.000 | \$1180 | 19A | 2280W | 11.25" Dia. x 13.5" Deep - .86 cu. feet 28.6cm Dia. x 34.3cm Deep – 24.4L | 1800°F 982°C | NEMA 5-20R | 70 lb 32 kg |
| 1210B | 240V | Manually Operated | #00465.000 | \$1205 | 13A | 3120W | 11.25" Dia. x 13.5" Deep - .86 cu. feet 28.6cm Dia. x 34.3cm Deep – 24.4L | 2300°F 1260°C | NEMA 6-20R | 70 lb 32 kg |
| 1413 | 240V | Manually Operated | #00505.000 | \$1395 | 15A | 3600W | 14.5" Dia. x 13.25" Deep – 1.3 cu. feet 36.8cm Dia. x 34.3cm Deep – 36.8L | 2300°F 1260°C | NEMA 6-20R | 100 lb 45 kg |
| 3220 | 240V | Manually Operated | #00660.000 | \$1615 | 18A | 4320W | 17.5" Dia. x 13.5" Deep – 2.0 cu. feet 44.5cm Dia. x 34.3cm Deep – 56.3L | 2300°F 1260°C | NEMA 6-30R | 115 lb 52 kg |
| 4320 | 240V | Manually Operated | #01160.000 | \$1680 | 24A | 5760W | 17.5" Dia. x 18" Deep – 2.6 cu. feet 44.5cm Dia. x 45.7cm Deep – 73.6L | 2300°F 1260°C | NEMA 6-30R | 130 lb 59 kg |
| 1822-S | 240V | Manually Operated | #01660.000 | \$1740 | 30A | 7200W | 17.5" Dia. x 22.5" Deep – 3.3 cu. feet 44.5cm Dia. x 57.2cm Deep – 93.4L | 2300°F 1260°C | NEMA 6-50R | 145 lb 66 kg |
| 4320XL | 240V | Manually Operated | #02160.000 | \$2130 | 30A | 7200W | 23.5" Dia. x 18" Deep – 4.7 cu. feet 59.7cm Dia. x 45.7cm Deep – 133L | 2300°F 1260°C | NEMA 6-50R | 200 lb 91 kg |
| 5320XL | 240V | Manually Operated | #02560.000 | \$2255 | 38A | 9000W | 23.5" Dia. x 22.5" Deep – 5.8 cu. feet 59.7cm Dia. x 57.2cm Deep – 164L | 2300°F 1260°C | NEMA 6-50R | 215 lb 98kg |
| 6320XL | 240V ¹ | Manually Operated | #03060.000 | \$2525 | 45A | 10,800W | 23.5" Dia. x 27" Deep – 7.0 cu. feet 59.7cm Dia. x 68.6cm Deep – 198L | 2300°F 1260°C | NEMA 6-50R | 230 lb 105 kg |
| 2918 | 240V | Manually Operated | #03760.000 | \$2610 | 37A | 8880W | 29" Dia. x 18" Deep – 7.0 cu. feet 73.7cm Dia. x 45.7cm Deep – 198L | 2300°F 1260°C | NEMA 6-50R | 220 lb 100 kg |
| 2927 Super | 240V ¹ | Manually Operated | #03560.000 | \$2995 | 56A | 13,440W | 29" Dia. x 27" Deep – 10.5 cu. feet 73.7cm Dia. x 68.6cm Deep – 297L | 2300°F 1260°C | Direct Wire | 290 lb 132 kg |
| 2541 Oval | 240V ¹ | Manually Operated | #04060.000 | \$3245 | 60A | 14,400W | 41" W x 25" L x 27" D – 14.4 cu. feet 104cm L x 63.5cm L x 69cm D – 408L | 2000°F 1093°C | Direct Wire | 450 lb 205 kg |

¹ – Available in 3 Phase
All models manually operated with switches and Kiln Sitter with Limit Timer
Classic Series kilns are not available in 208V. Choose a High Fire or Evolution model for 208V use.
Models 4320XL, 5320XL, 6320XL, 2918, 2927 Super and 2541 Oval are available with Optional Patented Dyna-Lift Lid Lift Assist, Add \$405 (\$480 for models 2918 and 2927)

| Cross-Over, Special Use Kilns – Solid State Models Available | | | | | | | | | | evenheat-kiln.com | | |
|--|-------|---------------|----------------------------------|---------------------------------|--|---------------------------------------|------|-------|---|-------------------|------------------|------------------------|
| Model | Volts | Control Style | Kiln Part # w/ Mechanical Relays | Kiln Price w/ Mechanical Relays | Kiln Part # w/ Quiet Drive Solid State | Kiln Price w/ Quiet Drive Solid State | Amps | Watts | Chamber Dimensions | Max. Usable Temp. | Power Receptacle | Kiln Appr. Ship Weight |
| Studio 8 | 120V | Infinite | #00342.000 | \$560 | N/A | N/A | 12A | 1440W | 8" Wide x 8" Long x 4.5" Deep - .17 cu. feet 20.3cm W x 20.3cm L x 11.4cm D – 4.8L | 1800°F 982°C | NEMA 5-15R | 30 lb 14 kg |
| | 240V | Infinite | #00342.020 | \$570 | N/A | N/A | 9.6A | 2208W | | | NEMA 6-20R | |
| Studio 8 with Viewing Window | 120V | Infinite | #00342.010 | \$585 | N/A | N/A | 12A | 1440W | 8" Wide x 8" Long x 4.5" Deep - .17 cu. feet 20.3cm W x 20.3cm L x 11.4cm D – 4.8L | 1800°F 982°C | NEMA 5-15R | 30 lb 14 kg |
| | 240V | Infinite | #00342.030 | \$595 | N/A | N/A | 9.6A | 2208W | | | NEMA 6-20R | |
| Studio Pro | 120V | Infinite | #00343.000 | \$565 | N/A | N/A | 12A | 1440W | 8" Wide x 8" Long x 4.5" Deep - .17 cu. feet 20.3cm W x 20.3cm L x 11.4cm D – 4.8L | 1800°F 982°C | NEMA 5-15R | 30 lb 14 kg |
| | 240V | Infinite | #00343.020 | \$575 | N/A | N/A | 9.6A | 2208W | | | NEMA 6-20R | |
| Studio Pro with Viewing Window | 120V | Infinite | #00343.010 | \$585 | N/A | N/A | 12A | 1440W | 8" Wide x 8" Long x 4.5" Deep - .17 cu. feet 20.3cm W x 20.3cm L x 11.4cm D – 4.8L | 1800°F 982°C | NEMA 5-15R | 30 lb 14 kg |
| | 240V | Infinite | #00343.030 | \$595 | N/A | N/A | 9.6A | 2208W | | | NEMA 6-20R | |
| Studio Pro STP | 120V | Set-Pro | #00343.500 | \$750 | N/A | N/A | 12A | 1440W | 8" Wide x 8" Long x 4.5" Deep - .17 cu. feet 20.3cm W x 20.3cm L x 11.4cm D – 4.8L | 1800°F 982°C | NEMA 5-15R | 30 lb 14 kg |
| | 240V | Set-Pro | #00343.520 | \$760 | N/A | N/A | 9.6A | 2208W | | | NEMA 6-20R | |
| Studio Pro STP with Viewing Window | 120V | Set-Pro | #00343.501 | \$770 | N/A | N/A | 12A | 1440W | 8" Wide x 8" Long x 4.5" Deep - .17 cu. feet 20.3cm W x 20.3cm L x 11.4cm D – 4.8L | 1800°F 982°C | NEMA 5-15R | 30 lb 14 kg |
| | 240V | Set-Pro | #00343.521 | \$780 | N/A | N/A | 9.6A | 2208W | | | NEMA 6-20R | |
| V8 w/ Solid Base | 120V | Set-Pro | #00342.162 | \$845 | #00342.178 | \$960 | 14A | 1680W | 8" Wide x 8" Long x 6.5" Deep - .24 cu. feet 20.3cm W x 20.3cm L x 16.5cm D – 6.8L | 2350°F 1260°C | NEMA 5-15R | 45 lb 21kg |
| | | RM3 | #00342.170 | \$1055 | #00342.179 | \$1170 | | | | | | |
| | | Genesis | #00342.190 | \$1175 | #00342.194 | \$1290 | | | | | | |
| | | TAP | #00342.174 | \$1225 | #00342.180 | \$1340 | | | | | | |
| | 240V | Set-Pro | #00342.164 | \$855 | #00342.181 | \$970 | 10A | 2400W | | | | |
| | | RM3 | #00342.172 | \$1065 | #00342.182 | \$1180 | | | | | | |
| | | Genesis | #00342.192 | \$1185 | #00342.196 | \$1300 | | | | | | |
| | | TAP | #00342.176 | \$1235 | #00342.183 | \$1350 | | | | | | |
| V8 w/ Vitrigraph Base | 120V | Set-Pro | #00342.163 | \$855 | #00342.184 | \$970 | 14A | 1680W | 8" Wide x 8" Long x 6.5" Deep - .24 cu. feet 20.3cm W x 20.3cm L x 16.5cm D – 6.8L | 2350°F 1260°C | NEMA 5-15R | 45 lb 21kg |
| | | RM3 | #00342.171 | \$1065 | #00342.185 | \$1180 | | | | | | |
| | | Genesis | #00342.191 | \$1185 | #00342.195 | \$1300 | | | | | | |
| | | TAP | #00342.175 | \$1235 | #00342.186 | \$1350 | | | | | | |
| | 240V | Set-Pro | #00342.165 | \$865 | #00342.187 | \$980 | 10A | 2400W | | | | |
| | | RM3 | #00342.173 | \$1075 | #00342.188 | \$1190 | | | | | | |
| | | Genesis | #00342.193 | \$1195 | #00342.197 | \$1310 | | | | | | |
| | | TAP | #00342.177 | \$1245 | #00342.189 | \$1360 | | | | | | |

| Cross-Over, Special Use Kilns – Solid State Models Available | | | | | | | | | | evenheat-kiln.com | | |
|--|-------|---------------|---------------------------------|--------------------------------|--|---------------------------------------|------|-------|--|-------------------|------------------|------------------------|
| Model | Volts | Control Style | Kiln Part # w/ Mechanical Relay | Kiln Price w/ Mechanical Relay | Kiln Part # w/ Quiet Drive Solid State | Kiln Price w/ Quiet Drive Solid State | Amps | Watts | Chamber Dimensions | Max. Usable Temp. | Power Receptacle | Kiln Appr. Ship Weight |
| Copper | 120V | Set-Pro | #00402.010 | \$1115 | #00402.012 | \$1230 | 12A | 1440W | 10" Wide x 6.5" High x 9" Deep - .34 cu. feet 24.5cm W x 16.5cm H x 23cm D – 9.6L | 2200°F 1204°C | NEMA 5-15R | 54 lb 25 kg |
| | | RM2 | #00402.015 | \$1235 | #00402.123 | \$1350 | | | | | | |
| | | Genesis | #00402.040 | \$1355 | #00402.042 | \$1470 | | | | | | |
| | | TAP | #00402.016 | \$1405 | #00402.018 | \$1520 | | | | | | |
| | 240V | Set-Pro | #00402.110 | \$1125 | #00402.112 | \$1240 | 13A | 3120W | | | NEMA 6-20R | |
| | | RM2 | #00402.120 | \$1245 | #00402.124 | \$1360 | | | | | | |
| | | Genesis | #00402.129 | \$1365 | #00402.131 | \$1480 | | | | | | |
| | | TAP | #00402.125 | \$1415 | #00402.127 | \$1530 | | | | | | |

| Optional Items - Including Dyna-Lift (Patented) | | | | | | | | |
|---|------------|----------|-----------------------------|------------|-------|-------------------------|------------|-------|
| V8 Vitrigraph Base Accessory | #00342.200 | \$132 | Dyna-Lift For RM II 2929 SS | #06408.230 | \$480 | Dyna-Lift For 6320XL SS | #06408.020 | \$405 |
| Dyna-Lift - HF Models | Standard | Included | Dyna-Lift for RM II 2522 | #06408.235 | \$405 | Dyna-Lift For 2918 SS | #06408.055 | \$480 |
| Dyna-Lift - RM II 2322 SS | #06408.200 | \$405 | Dyna-Lift For RM II 2541 SS | #06408.240 | \$405 | Dyna-Lift For 2927 SS | #06408.060 | \$480 |
| Dyna-Lift For RM II 2329 SS | #06408.210 | \$405 | Dyna-Lift For 4320XL SS | #06408.000 | \$405 | Dyna-Lift For 2541 SS | #06408.070 | \$405 |
| Dyna-Lift For RM II 2922 SS | #06408.220 | \$480 | Dyna-Lift For 5320XL SS | #06408.010 | \$405 | | | |

| Orton Vents | | | | | | | | |
|-------------------------------|------------|-------|---|------------|-------|---|------------|------|
| Orton Vent Master 120V | #08035.000 | \$495 | Orton Vent Master Expansion Kit – For Second Kiln | #08035.025 | \$255 | Orton Vent Master Hose Extension Kit – 3 feet | #08035.040 | \$87 |
| Orton Vent Master 208V - 240V | #08037.000 | \$495 | | | | | | |

Remote Controls – Table Top & Wall Mount Controllers (Automates Existing, Manually Controlled Kilns)

| | | | | | | | | |
|---|------------|-------|---|-------------|-------|---|------------|-------|
| Table Top Controller – 15A / 120V w/ TAP Control | #11776.000 | \$545 | Table Top Controller – 15A / 120V w/ Rampmaster II Control | \$11727.000 | \$495 | Table Top Controller – 15A / 120V w/ Set-Pro Control | #11749.000 | \$405 |
| Wall Mount Controller - 15A / 120V w/ TAP Control | #11777.000 | \$600 | Wall Mount Controller - 15A / 120V w/ Rampmaster II Control | #11728.000 | \$550 | Wall Mount Controller - 15A / 120V w/ Set-Pro Control | #11750.000 | \$455 |
| Wall Mount Controller - 20A / 120V w/ TAP Control | #11779.000 | \$615 | Wall Mount Controller - 20A / 120V w/ Rampmaster II Control | #11730.000 | \$565 | Wall Mount Controller - 20A / 120V w/ Set-Pro Control | #11753.000 | \$470 |
| Wall Mount Controller - 20A / 240V w/ TAP Control | #11781.000 | \$605 | Wall Mount Controller - 20A / 240V w/ Rampmaster II Control | #11733.000 | \$555 | Wall Mount Controller - 20A / 240V w/ Set-Pro Control | #11755.000 | \$460 |
| Wall Mount Controller - 30A / 240V w/ TAP Control | #11783.000 | \$785 | Wall Mount Controller - 30A / 240V w/ Rampmaster II Control | #11735.000 | \$735 | Wall Mount Controller - 30A / 240V w/ Set-Pro Control | #11757.000 | \$640 |
| Wall Mount Controller - 50A / 240V w/ TAP Control | #11785.000 | \$815 | Wall Mount Controller - 50A / 240V w/ Rampmaster II Control | #11740.000 | \$765 | Wall Mount Controller - 50A / 240V w/ Set-Pro Control | #11760.000 | \$670 |
| Wall Mount Controller - 60A / 240V w/ TAP Control | #11787.000 | \$770 | Wall Mount Controller - 60A / 240V w/ Rampmaster II Control | #11745.000 | \$720 | Wall Mount Controller - 60A / 240V w/ Set-Pro Control | #11763.000 | \$625 |

Furniture Kits – High Alumina, Cordierite-Mullite - 2372°F (1300°C), Cone 11

| | | | | | | | | |
|-------------------------------------|------------|-------|--------------------|------------|-------|----------------------|------------|-------|
| Studio Pro, V8 & Studio 8 Furn. Kit | #07502.000 | \$61 | Oct2 Furniture Kit | #07520.000 | \$160 | Super1 Furniture Kit | #07538.000 | \$340 |
| Hex1 Furniture Kit | #07505.000 | \$73 | Evo1 Furniture Kit | #07551.000 | \$345 | Super2 Furniture Kit | #07540.000 | \$627 |
| Hex2 Furniture Kit | #07510.000 | \$95 | Evo2 Furniture Kit | #07552.000 | \$440 | Oval Furniture Kit | #07545.000 | \$615 |
| 1413 Furniture Kit | #07512.000 | \$111 | XL1 Furniture Kit | #07525.000 | \$375 | | | |
| Oct1 Furniture Kit | #07515.000 | \$125 | XL2 Furniture Kit | #07535.000 | \$455 | | | |

Shelves & Kiln Wash – High Alumina, Cordierite-Mullite - 2372°F (1300°C), Cone 11

| | | | | | | | | |
|--|------------|------|--|------------|------|---|------------|------|
| Copper Shelf 7.25" Square Shelf | #07400.000 | \$26 | 15.5" x 5/8" Circular Used with 17.5" Diameter Kilns | #07410.000 | \$40 | 15" x 21" x 5/8" Rectangle Used in Oval Shaped Kilns | #07437.000 | \$85 |
| Studio Pro, V8 & Studio 8 Shelf 7.25" Square Shelf | #07400.000 | \$26 | 20" x 20" x 3/4" Rectangle Used with Evolution 23 Kilns | #07440.000 | \$71 | Kiln Wash – 1 lb | #08050.000 | \$7 |
| 10" x 1/2" Circular Used with 11.25" Diameter Kilns | #07405.000 | \$24 | 20" x 10" x 3/4" Rectangle Used with Evolution 23 Kilns | #07436.000 | \$50 | Kiln Wash – 5 lb | #08055.000 | \$23 |
| 12" x 1/2" Semi-Circular Used with 14.5" Diameter Kilns | #07408.000 | \$20 | 21" x 3/4" Semi-Circular Used with 23.5" Diameter Kilns | #07421.000 | \$43 | Uncut Fire Brick - 9" x 4.5" x 2.5" | #06909.000 | \$10 |
| 12" x 1/2" Circular Used with 14.5" Diameter Kilns | #07407.000 | \$30 | 21" x 3/4" Circular Used with 23.5" Diameter Kilns | #07420.000 | \$81 | Uncut Fire Brick - 9" x 4.5" x 3" | #06947.000 | \$12 |
| 15.5" x 5/8" Semi-Circular Used with 17.5" Diameter Kilns | #07411.000 | \$23 | 26" x 3/4" Half Shelf Used with 29" Diameter Kilns | #07430.000 | \$65 | | | |

Posts – High Alumina, Cordierite-Mullite - 2372°F (1300°C), Cone 11

| | | | | | | | | |
|--------------------------------|------------|--------|-------------------------------|------------|--------|-------------------|------------|--------|
| 1" Square x .5" | #07000.000 | \$1.35 | 1" Square x 4" (Quantity 12+) | #07004.001 | \$2.40 | 1.5" Square x 3" | #07023.000 | \$2.85 |
| 1" Square x .5" (Quantity 12+) | #07000.001 | \$1.04 | 1" Square x 5" | #07005.000 | \$3.55 | 1.5" Square x 4" | #07024.000 | \$3.70 |
| 1" Square x 1" | #07001.000 | \$1.50 | 1" Square x 5" (Quantity 12+) | #07005.001 | \$2.72 | 1.5" Square x 5" | #07025.000 | \$3.85 |
| 1" Square x 1" (Quantity 12+) | #07001.001 | \$1.20 | 1" Square x 6" | #07006.000 | \$4.10 | 1.5" Square x 6" | #07026.000 | \$5.25 |
| 1" Square x 2" | #07002.000 | \$2.10 | 1" Square x 6" (Quantity 12+) | #07006.001 | \$3.08 | 1.5" Square x 8" | #07028.000 | \$4.80 |
| 1" Square x 2" (Quantity 12+) | #07002.001 | \$1.60 | 1" Square x 8" | #07008.000 | \$5.30 | 1.5" Square x 10" | #07030.000 | \$5.65 |
| 1" Square x 3" | #07003.000 | \$2.85 | 1.5" Square x .5" | #07020.000 | \$1.20 | 1.5" Square x 12" | #07032.000 | \$7.00 |
| 1" Square x 3" (Quantity 12+) | #07003.001 | \$1.80 | 1.5" Square x 1" | #07021.000 | \$1.80 | | | |
| 1" Square x 4" | #07004.000 | \$3.30 | 1.5" Square x 2" | #07022.000 | \$2.25 | | | |

Heating Elements – RM Series (Kanthal A-1) – Also used with the discontinued TM and Perfect Fire Series kilns

| | | | | | | | | |
|---|------------|------|---|------------|------|---|------------|------|
| RM II 810 SS - All Positions 120V – 2 per kiln | #06010.000 | \$37 | RM II 2322 SS & Dlx - Top & Bottom 240V – 2 per kiln | #10465.000 | \$47 | RM II 2922 SS & Dlx - Top & Bottom 208V – 2 per kiln | #10542.000 | \$45 |
| RM II 1210 SS - All Positions 120V – 3 per kiln | #06015.000 | \$32 | RM II 2322 SS & Dlx - Center 240V – 2 per kiln | #10470.000 | \$36 | RM II 2922 SS & Dlx - Center 208V – 2 per kiln | #10547.000 | \$38 |
| RM II 1210B SS - All Positions 240V – 2 per kiln | #06020.000 | \$36 | RM II 2322 Dlx - Top & Bottom 208V – 2 per kiln | #10467.000 | \$47 | RM II 2929 SS & Dlx - Top & Bottom 240V – 2 per kiln | #10540.000 | \$45 |
| RM II 1413 SS - Top & Bottom 240V – 2 per kiln | #10426.000 | \$36 | RM II 2322 Dlx - Center 208V – 2 per kiln | #10472.000 | \$36 | RM II 2929 SS & Dlx - Center 240V – 4 per kiln | #10545.000 | \$38 |
| RM II 1413 SS - Center 240V – 2 per kiln | #10428.000 | \$32 | RM II 2329 SS & Dlx - Top & Bottom 240V – 2 per kiln | #10500.000 | \$47 | RM II 2929 Dlx - Top & Bottom 208V – 2 per kiln | #10542.000 | \$45 |
| RM II 1813 SS - All Positions 240V – 3 per kiln | #06030.000 | \$39 | RM II 2329 SS & Dlx - Center 240V – 4 per kiln | #10505.000 | \$40 | RM II 2929 Dlx - Center 208V – 4 per kiln | #10547.000 | \$38 |
| RM II 1822 SS & Dlx - Top & Bottom 240V – 2 per kiln | #10440.000 | \$38 | RM II 2329 Dlx - Top & Bottom 208V – 2 per kiln | #10502.000 | \$47 | RM II 2522 SS - Top & Bottom 240V – 2 per kiln | #10560.000 | \$42 |
| RM II 1822 SS & Dlx - Center 240V – 2 per kiln | #10445.000 | \$33 | RM II 2329 Dlx - Center 208V – 4 per kiln | #10507.000 | \$40 | RM II 2522 SS - Center 240V – 2 per kiln | #10565.000 | \$38 |
| RM II 1822 Dlx - Top & Bottom 208V – 2 per kiln | #10442.000 | \$38 | RM II 2922 SS & Dlx - Top & Bottom 240V – 2 per kiln | #10540.000 | \$45 | RM II 2541 SS - Top & Bottom 240V – 2 per kiln | #10560.000 | \$42 |
| RM II 1822 Dlx - Center 208V – 2 per kiln | #10447.000 | \$33 | RM II 2922 SS & Dlx - Center 240V – 2 per kiln | #10545.000 | \$38 | RM II 2541 SS - Center 240V – 4 per kiln | #10565.000 | \$38 |

Heating Elements – Evolution Series (Kanthal A-1)

| | | | | | | | | |
|--|------------|------|--|------------|------|--|------------|------|
| Evolution 2318 - Top & Bottom 240V – 2 per kiln | #10590.000 | \$49 | Evolution 2318 - Center 208V – 2 per kiln | #10590.110 | \$43 | Evolution 2327 - Top & Bottom 208V – 4 per kiln | #10591.100 | \$42 |
| Evolution 2318 - Center 240V – 2 per kiln | #10590.010 | \$48 | Evolution 2327 - Top & Bottom 240V – 4 per kiln | #10591.000 | \$45 | Evolution 2327 - Center 208V – 2 per kiln | #10591.110 | \$46 |
| Evolution 2318 - Top & Bottom 208V – 2 per kiln | #10590.100 | \$52 | Evolution 2327 - Center 240V – 2 per kiln | #10591.010 | \$49 | | | |

Heating Elements – High Fire Series (Kanthal A-1)

| | | | | | | | | |
|---|------------|------|---|------------|------|---|------------|------|
| HF 810 - All Positions 120V – 2 per kiln | #06010.000 | \$37 | HF 2318 - Top & Bottom 240V – 2 per kiln | #10573.000 | \$46 | HF 2918 - Top & Bottom 208V – 2 per kiln | #10574.050 | \$61 |
| HF 1210B - All Positions 240V – 2 per kiln | #06020.000 | \$36 | HF 2318 - Center 240V – 2 per kiln | #10573.100 | \$52 | HF 2918 - Center 208V – 2 per kiln | #10574.150 | \$55 |
| HF 1413 - Top & Bottom 240V – 2 per kiln | #10426.000 | \$36 | HF 2318 - Top & Bottom 208V – 2 per kiln | #10573.050 | \$46 | HF 2927 - Top & Bottom 240V – 2 per kiln | #10580.000 | \$61 |
| HF 1413 - Center 240V – 2 per kiln | #10428.000 | \$32 | HF 2318 - Center 208V – 2 per kiln | #10573.150 | \$52 | HF 2927 - Intermediate 240V – 2 per kiln | #10580.100 | \$50 |
| HF 1813 - All Positions 240V – 3 per kiln | #10569.000 | \$41 | HF 2327 - Top & Bottom 240V – 4 per kiln | #10573.000 | \$46 | HF 2927 - Center 240V – 2 per kiln | #10580.200 | \$55 |
| HF 1813 - All Positions 208V – 3 per kiln | #10569.050 | \$38 | HF 2327 - Center 240V – 2 per kiln | #10573.100 | \$52 | HF 2927 - Top & Bottom 208V – 2 per kiln | #10580.050 | \$61 |
| HF 1818 - Top & Bottom 240V – 2 per kiln | #10570.000 | \$54 | HF 2327 - Top & Bottom 208V – 4 per kiln | #10573.050 | \$46 | HF 2927 - Intermediate 208V – 2 per kiln | #10580.150 | \$50 |
| HF 1818 - Center 240V – 2 per kiln | #10570.100 | \$47 | HF 2327 - Center 208V – 2 per kiln | #10573.150 | \$52 | HF 2927 - Center 208V – 2 per kiln | #10580.250 | \$55 |
| HF 1818 - Top & Bottom 208V – 2 per kiln | #10570.050 | \$54 | HF 2918 - Top & Bottom 240V – 2 per kiln | #10574.000 | \$61 | | | |
| HF 1818 - Center 208V – 2 per kiln | #10570.150 | \$47 | HF 2918 - Center 240V – 2 per kiln | #10574.100 | \$55 | | | |

Heating Elements – TnB Series (Kanthal A-1) – TnB Series Discontinued 2007

| | | | | | | | | |
|--|------------|------|--|------------|------|--|------------|------|
| TnB 1113-B 208V and 240V – 2 per kiln | #11340.000 | \$36 | TnB 1413 – Top & Bottom 208V – 2 per kiln | #11351.000 | \$36 | TnB 1822 - Center 240V – 4 per kiln | #11372.000 | \$29 |
| TnB 1413 – Top & Bottom 240V – 2 per kiln | #11350.000 | \$36 | TnB 1413 – Center 208V – 2 per kiln | #11354.000 | \$32 | TnB 1822 - Top & Bottom 208V – 4 per kiln | #11371.000 | \$32 |
| TnB 1413 – Center 240V – 2 per kiln | #11352.000 | \$32 | TnB 1822 - Top & Bottom 240V – 4 per kiln | #11370.000 | \$32 | TnB 1822 - Center 208V – 4 per kiln | #11374.000 | \$29 |

Heating Elements – Deluxe 10 Series (Kanthal A-1) – Deluxe 10 Models Discontinued 2014

| | | | | | | | | |
|---|------------|------|---|------------|------|---|------------|------|
| Deluxe 10 1822 - All Positions 240V – 4 per kiln | #06086.000 | \$41 | Deluxe 10 2918 - All Positions 240V – 4 per kiln | #06086.060 | \$47 | Deluxe 10 4218 - All Positions 240V – 4 per kiln | #06086.120 | \$62 |
| Deluxe 10 1822 - All Positions 208V – 4 per kiln | #06086.010 | \$38 | Deluxe 10 2918 - All Positions 208V – 4 per kiln | #06086.070 | \$45 | Deluxe 10 4218 - All Positions 208V – 4 per kiln | #06086.130 | \$57 |
| Deluxe 10 2318 - All Positions 240V – 4 per kiln | #06086.020 | \$41 | Deluxe 10 2927 - Top & Bottom 240V – 2 per kiln | #06086.080 | \$49 | Deluxe 10 4227 - All Positions 240V – 6 per kiln | #06086.140 | \$62 |
| Deluxe 10 2318 - All Positions 208V – 4 per kiln | #06086.030 | \$38 | Deluxe 10 2927 - Center 240V – 4 per kiln | #06086.090 | \$42 | Deluxe 10 4227 - All Positions 208V – 6 per kiln | #06086.150 | \$57 |
| Deluxe 10 2327 - All Positions 240V – 6 per kiln | #06086.040 | \$41 | Deluxe 10 2927 - Top & Bottom 208V – 2 per kiln | #06086.100 | \$43 | | | |
| Deluxe 10 2327 - All Positions 208V – 6 per kiln | #06086.050 | \$38 | Deluxe 10 2927 - Center 208V – 4 per kiln | #06086.110 | \$38 | | | |

Heating Elements – Classic Series (Kanthal A-1)

| | | | | | | | | |
|--|------------|------|--|------------|------|--|------------|------|
| Studio Pro / Studio 8 120V – 1 per kiln | #00105.000 | \$31 | 1822-S - Top & Bottom 240V – 2 per kiln | #10440.000 | \$38 | 5320XL - SS & Dlx - All Positions 240V – 5 per kiln | #06040.000 | \$41 |
| Studio Pro / Studio 8 240V – 1 per kiln | #00105.010 | \$34 | 1822-S - Center 240V – 2 per kiln | #10445.000 | \$33 | 6320XL - SS & Dlx - All Positions 240V – 6 per kiln | #06040.000 | \$41 |
| Copper 120V – 1 per kiln | #06005.000 | \$32 | 1822-S - Top & Bottom 208V – 2 per kiln | #10442.000 | \$38 | 4320XL - Dlx - All Positions 208V – 4 per kiln | #06050.000 | \$41 |
| Copper 240V – 1 per kiln | #06005.240 | \$35 | 1822-S - Center 208V – 2 per kiln | #10447.000 | \$33 | 5320XL - Dlx - All Positions 208V – 5 per kiln | #06050.000 | \$41 |
| 810 - All Positions 120V – 2 per kiln | #06010.000 | \$37 | 3220 - SS & Dlx - All Positions 240V – 3 per kiln | #06030.000 | \$41 | 6320XL - Dlx - All Positions 208V – 6 per kiln | #06050.000 | \$41 |
| 1210 - All Positions 120V – 3 per kiln | #06015.000 | \$33 | 4320 - SS & Dlx - All Positions 240V - 4 per kiln | #06030.000 | \$41 | 2918 SS & Dlx - All Positions 240V – 4 per kiln | #06060.000 | \$45 |
| 1210B - All Positions 240V – 2 per kiln | #06020.000 | \$36 | 5320 - SS & Dlx - All Positions 240V - 5 per kiln | #06030.000 | \$41 | 2918 – Dlx - All Positions 208V – 4 per kiln | #06065.000 | \$45 |
| 1413 - Top & Bottom 240V – 2 per kiln | #10426.000 | \$36 | 3220 – Dlx - All Positions 208V – 3 per kiln | #06035.000 | \$41 | 2927 - SS & Dlx - All Positions 240V – 6 per kiln | #06060.000 | \$45 |
| 1413 - Center 240V – 2 per kiln | #10428.000 | \$32 | 4320 – Dlx - All Positions 208V – 4 per kiln | #06035.000 | \$41 | 2927 – Dlx - All Positions 208V - 6 per kiln | #06065.000 | \$45 |
| 1413 - Top & Bottom 208V – 2 per kiln | #10427.000 | \$36 | 5320 – Dlx - All Positions 208V – 5 per kiln | #06035.000 | \$41 | 2541 - All Positions 240V – 6 per kiln | #06080.000 | \$50 |
| 1413 - Center 208V – 2 per kiln | #10429.000 | \$32 | 4320XL - SS & Dlx - All Positions 240V – 4 per kiln | #06040.000 | \$41 | | | |

| Heating Elements – Fyrematic Series (Kanthal A-1) – Fyrematic Series Discontinued 2007 | | | | | | | | |
|--|------------|------|---|------------|------|---|------------|------|
| 1820A Fyrematic 240V – 4 per kiln | #06030.000 | \$39 | 2320A Fyrematic – Top & Bottom 240V – 2 per kiln | #05950.000 | \$54 | 2329A Fyrematic – Top & Bottom 208V – 2 per kiln | #05952.000 | \$54 |
| 1820A Fyrematic 208V – 4 per kiln | #06035.000 | \$39 | 2320A Fyrematic – Center 240V – 2 per kiln | #05951.000 | \$45 | 2329A Fyrematic – Center 208V – 4 per kiln | #05953.000 | \$45 |
| 1827A Fyrematic – Top Five 240V – 5 per kiln | #06030.000 | \$39 | 2320A Fyrematic – Top & Bottom 208V – 2 per kiln | #05952.000 | \$54 | 2797A Fyrematic 240V – 6 per kiln | #06060.000 | \$45 |
| 1827A Fyrematic – Bottom 240V – 1 per kiln | #05940.000 | \$41 | 2320A Fyrematic – Center 2080V – 2 per kiln | #05953.000 | \$45 | 2797A Fyrematic 208V – 6 per kiln | #06065.000 | \$45 |
| 1827A Fyrematic – Top Five 208V – 5 per kiln | #06035.000 | \$39 | 2329A Fyrematic – Top & Bottom 240V – 2 per kiln | #05950.000 | \$54 | 2541A Fyrematic 240V – 6 per kiln | #06080.000 | \$50 |
| 1827A Fyrematic – Bottom 208V – 1 per kiln | #05942.000 | \$41 | 2329A Fyrematic – Center 240V – 4 per kiln | #05951.000 | \$45 | | | |

| Heating Elements – Cross-Over, Special Use Kilns (Kanthal A-1) | | | | | | | | |
|--|------------|------|--|------------|------|--------------------------------|------------|------|
| Copper - Side 120V – 1 per kiln | #06005.000 | \$32 | Studio Pro - Side 120V – 1 per kiln | #00105.000 | \$31 | V8 - Side 120V – 1 per kiln | #00105.015 | \$35 |
| Copper - Side 240V – 1 per kiln | #06005.240 | \$35 | Studio Pro – Side 240V – 1 per kiln | #00105.010 | \$35 | V8 - Side 240V – 1 per kiln | #00105.010 | \$35 |
| Studio 8 - Side 120V – 1 per kiln | #00105.000 | \$31 | Studio Pro STP - Side 120V – 1 per kiln | #00105.000 | \$31 | | | |
| Studio 8 - Side 240V – 1 per kiln | #00105.010 | \$35 | Studio Pro STP - Side 240V – 1 per kiln | #00105.010 | \$35 | | | |

| Thermocouples & Pyrometers – (All Thermocouples are Type K) | | | | | | | | |
|---|------------|------|--|------------|-------|--|------------|-------|
| Thermocouple For Studio Pro | #00343.300 | \$34 | Thermocouple For Evolution 23 Models | #11647.000 | \$24 | Analog Pyrometer – Meter Only For Studio Pro & Studio 8 | #00331.250 | \$22 |
| Thermocouple For Studio 8 | #00343.300 | \$34 | Thermocouple For HF & Deluxe 10 Models | #11647.000 | \$24 | Digital Pyrometer – Bat. Operated w/ 6', 8Ga. Thermocouple | #08060.250 | \$410 |
| Thermocouple For V8 STP | #00343.300 | \$34 | Thermocouple General Use | #08066.000 | \$33 | Digital Pyrometer – Bat. Operated w/ 6', 14Ga. Thermocouple | #08060.200 | \$410 |
| Thermocouple For V8 Rampmaster II & TAP | #11649.005 | \$30 | Thermocouple Block Oval Shaped | #09059.000 | \$20 | Digital Pyrometer – 120V Operated w/ 6', 8Ga. Thermocouple | #08060.350 | \$410 |
| Thermocouple For RM II SS Models | #11646.000 | \$23 | Analog Pyrometer - Model 1000 w/ 2', 14Ga. Thermocouple | #08060.000 | \$127 | Digital Pyrometer – 120V Operated w/ 6', 14Ga. Thermocouple | #08060.300 | \$410 |
| Thermocouple For RM II Deluxe Models | #11647.000 | \$24 | Analog Pyrometer – Model 1000 Meter Only | #08062.000 | \$86 | | | |

TAP, Rampmaster II & Set-Pro Electronic Control Parts

| | | | | | | | | |
|--|------------|-------|---|------------|---------|--|------------|------|
| Rampmaster II Control Board RM II Version | #11800.000 | \$340 | TAP Control Retrofit Package Converts from Rampmaster II | #11800.720 | \$515 | Transformer 24Vct, 0.5A Output – Mfr #4-07-5024 | #11801.310 | \$30 |
| Set-Pro Control Board STP1 Version | #11799.000 | \$187 | TAP Wi-Fi Dongle | #11800.712 | \$39 | Transformer 24Vct, 1.2A Output – Mfr #4-07-6024 | #11801.300 | \$30 |
| Genesis Control Board | #11800.900 | \$425 | Control Fuse – pack of 2 For TAP, Set-Pro & RM II Models | #11801.000 | \$7.50 | Power Switch For TAP, Set-Pro & RM II Models | #05563.000 | \$10 |
| TAP Control Board | #11800.700 | \$520 | Control Fuse Holder For TAP, Set-Pro & RM II Models | #11801.100 | \$10.50 | | | |

Electrical Parts

| | | | | | | | | |
|---|------------|------|---|------------|-------|---------------------------------------|------------|---------|
| Power Cord 15A / 120V - NEMA 5-15P | #05808.000 | \$28 | Power Receptacle 50A / 240V – NEMA 6-50R | #05915.000 | \$34 | Infinite Switch Knob | #05568.000 | \$10 |
| Power Cord 20A / 120V – NEMA 5-20P | #05816.000 | \$28 | Relay For TAP, Set-Pro & RM II Models | #11801.200 | \$35 | TnB Automatic Switch | #05564.000 | \$160 |
| Power Cord 20A / 240V – NEMA 6-20P | #05824.000 | \$34 | Mercury Relays – 35A / 240V Single Pole, 240V Coil | #05577.000 | \$86 | Fyrematic Automatic Switch | #05572.000 | \$170 |
| Power Cord 30A / 240V – NEMA 6-30P | #05825.000 | \$55 | Mercury Relays – 35A / 240V Double Pole, 240V Coil | #05577.050 | \$165 | Pilot Light | #05560.000 | \$9.25 |
| Power Cord 50A / 240V – NEMA 6-50P | #05830.000 | \$85 | Mercury Relays – 60A / 240V Single Pole, 240V Coil | #05578.000 | \$115 | Element Connectors – pack of 4 | #05540.000 | \$10 |
| Power Receptacle 15A / 120V – NEMA 5-15R | #05890.000 | \$22 | Mercury Relays – 60A / 240V Double Pole, 240V Coil | #05579.000 | \$165 | Element Insulators 1" – pack of 4 | #05562.000 | \$8.50 |
| Power Receptacle 20A / 120V – NEMA 5-20R | #05895.000 | \$22 | Toggle (On-Off) Switch | #05566.000 | \$40 | Element Insulators 1-3/4" – pack of 4 | #05562.100 | \$12.50 |
| Power Receptacle 20A / 240V – NEMA 6-20R | #05903.000 | \$22 | Infinite Switch -15A / 120V | #05567.500 | \$49 | | | |
| Power Receptacle 30A / 240V – NEMA 6-30R | #05905.000 | \$35 | Infinite Switch - 15A / 240V | #05567.000 | \$52 | | | |

Kiln Sitter / Kiln Sitter w/ Limiter Replacement Parts – Produced from Original W.P. Dawson Tooling and Specifications

| | | | | | | | | |
|---------------|------------|---------|--------------------------|------------|--------|---------------------------------|------------|------|
| Cone Supports | #06704.000 | \$11 | Plunger Assembly | #06740.000 | \$54 | Switch Block & Plunger Assembly | #06752.000 | \$94 |
| Firing Gauge | #06712.000 | \$6.50 | Sensing Rod – 9" | #06744.000 | \$9.25 | Tube Assembly 70A Long | #06756.000 | \$56 |
| Guide Plate | #06716.000 | \$9.25 | Sensing Rod – 10.125" | #06745.000 | \$9.25 | Tube Assembly 4" | #06759.000 | \$59 |
| Metal Claw | #06732.000 | \$11.75 | Switch Block w/ Contacts | #06748.000 | \$77 | Tube Assembly 5" | #06760.000 | \$71 |

Stands & Hardware


| | | | | | | | | |
|---|------------|------|----------------------------------|------------|---------|--------------------------|------------|------|
| 8" Stand - For 11" Dia. Kilns | #08105.000 | \$51 | 8" Stand - For RM II 2541 | #08125.000 | \$110 | Repair Cement - 1 lb Jar | #08040.000 | \$9 |
| 8" Stand - For 14.5" & 17.5" Dia. Kilns | #08110.000 | \$59 | 8" Stand - For HF 4218 & HF 4227 | #08130.000 | \$110 | Element Pins - 1 Dozen | #05927.100 | \$12 |
| 8" Stand - For 23.5" Dia. Kilns | #08115.000 | \$91 | Plastic Stand Feet – Set of 4 | #08149.000 | \$10 | Grasp Handle | #06430.000 | \$10 |
| 8" Stand – For Evolution 23 Kilns | #08115.000 | \$91 | Peephole Plug - Ceramic | #06482.000 | \$13.50 | | | |
| 8" Stand - For 29" Dia. Kilns | #08120.000 | \$91 | Peephole Covers - Steel | #06480.000 | \$8.25 | | | |

Lids & Doors



| | | | | | | | | |
|----------------------------|------------|--------|-----------------------------------|------------|-------|------------------------------|------------|-------|
| HF 810 (3" Brick) | #08155.100 | \$295 | RM II 1822 SS (2.5" Brick) | #08170.000 | \$290 | 1210 (2.5" Brick) | #08155.000 | \$240 |
| HF 1210B (3" Brick) | #08155.100 | \$295 | RM II 1822 Deluxe (3" Brick) | #08175.100 | \$305 | 1210B (2.5" Brick) | #08155.000 | \$240 |
| HF 1413 (3" Brick) | #08164.100 | \$300 | RM II 2322 SS (2.5" Brick) | #08195.000 | \$390 | 1413 (2.5" Brick) | #08164.000 | \$280 |
| HF 1813 (3" Brick) | #08170.100 | \$320 | RM II 2322 Deluxe (3" Brick) | #08200.100 | \$430 | 3220 (2.5" Brick) | #08170.000 | \$290 |
| HF 1818 (3" Brick) | #08170.100 | \$320 | RM II 2329 SS (2.5" Brick) | #08195.000 | \$390 | 4320 (2.5" Brick) | #08170.000 | \$290 |
| HF 2318 (3" Brick) | #08195.100 | \$420 | RM II 2329 Deluxe (3" Brick) | #08200.100 | \$430 | 4320 Deluxe (3" Brick) | #08175.100 | \$305 |
| HF 2327 (3" Brick) | #08195.100 | \$420 | RM II 2922 SS (2.5" Brick) | #08215.000 | \$515 | 1822-S (2.5" Brick) | #08170.000 | \$290 |
| HF 2918 (3" Brick) | #08215.100 | \$515 | RM II 2922 Deluxe (3" Brick) | #08217.000 | \$525 | 1822-S Deluxe (3" Brick) | #08175.100 | \$305 |
| HF 2927 (3" Brick) | #08215.100 | \$515 | RM II 2929 SS (2.5" Brick) | #08215.000 | \$475 | 4320XL (2.5" Brick) | #08195.000 | \$390 |
| Deluxe 10 1822 (3" Brick) | #08175.100 | \$305 | RM II 2929 Deluxe (3" Brick) | #08217.000 | \$525 | 4320XL Deluxe (3" Brick) | #08200.100 | \$430 |
| Deluxe 10 2318 (3" Brick) | #08200.100 | \$430 | RM II 2522 SS (2.5" Brick) | #08235.000 | \$530 | 5320XL (2.5" Brick) | #08195.000 | \$390 |
| Deluxe 10 2327 (3" Brick) | #08200.100 | \$430 | RM II 2541 SS (2.5" Brick) | #08235.000 | \$530 | 5320XL Deluxe (3" Brick) | #08200.100 | \$430 |
| Deluxe 10 2918 (3" Brick) | #08217.000 | \$525 | Evolution 2318 | #08250.000 | \$830 | 6320XL (2.5" Brick) | #08195.000 | \$390 |
| Deluxe 10 2927 (3" Brick) | #08217.000 | \$525 | Evolution 2327 | #08250.000 | \$830 | 6320XL Deluxe (3" Brick) | #08200.100 | \$430 |
| Deluxe 10 4218 (3" Brick) | #08247.000 | \$1290 | Studio 8 - Fiber | #00342.110 | \$49 | 2918 SS (2.5" Brick) | #08215.000 | \$475 |
| Deluxe 10 4227 (3" Brick) | #08247.000 | \$1290 | Studio 8 w/ Window Cuts - Fiber | #00342.115 | \$77 | 2918 Deluxe (3" Brick) | #08217.000 | \$525 |
| RM II 810 (2.5" Brick) | #08155.000 | \$240 | Studio Pro - Fiber | #00342.110 | \$49 | 2927 Super (2.5" Brick) | #08215.000 | \$475 |
| RM II 1210 (2.5" Brick) | #08155.000 | \$240 | Studio Pro w/ Window Cuts - Fiber | #00342.115 | \$77 | 2927 Super Deluxe (3" Brick) | #08217.000 | \$525 |
| RM II 1210B (2.5" Brick) | #08155.000 | \$240 | V8 (2.5" Brick) | #00342.204 | \$100 | 2522 (2.5" Brick) | #08235.000 | \$530 |
| RM II 1413 (2.5" Brick) | #08164.000 | \$280 | Copper Door – (2.5" Brick) | #08152.050 | \$140 | 2541 (2.5" Brick) | #08235.000 | \$530 |
| RM II 1813 SS (2.5" Brick) | #08170.000 | \$290 | 810 (2.5" Brick) | #08155.000 | \$240 | | | |

| Floors | | | | | | | | |
|---------------------------|------------|-------|--------------------------------|------------|-------|--------------------------------|------------|-------|
| HF 810 (3" Brick) | #08160.100 | \$195 | RM II 1813 (2.5" Brick) | #08180.000 | \$230 | 1413 (2.5" Brick) | #08166.000 | \$205 |
| HF 1210B (3" Brick) | #08160.100 | \$195 | RM II 1822 SS (2.5" Brick) | #08180.000 | \$230 | 3220 (2.5" Brick) | #08180.000 | \$230 |
| HF 1413 (3" Brick) | #08166.100 | \$215 | RM II 1822 Deluxe (2.5" Brick) | #08180.000 | \$230 | 4320 (2.5" Brick) | #08180.000 | \$230 |
| HF 1813 (3" Brick) | #08180.100 | \$245 | RM II 2322 SS (2.5" Brick) | #08205.000 | \$325 | 4320 Deluxe (2.5" Brick) | #08180.000 | \$230 |
| HF 1818 (3" Brick) | #08180.100 | \$245 | RM II 2322 Deluxe (2.5" Brick) | #08205.000 | \$325 | 1822-S (2.5" Brick) | #08180.000 | \$230 |
| HF 2318 (3" Brick) | #08205.100 | \$355 | RM II 2329 SS (2.5" Brick) | #08205.000 | \$325 | 1822-S Deluxe (2.5" Brick) | #08180.000 | \$230 |
| HF 2327 (3" Brick) | #08205.100 | \$355 | RM II 2329 Deluxe (2.5" Brick) | #08205.000 | \$325 | 4320XL (2.5" Brick) | #08205.000 | \$325 |
| HF 2918 (3" Brick) | #08225.100 | \$440 | RM II 2922 SS (2.5" Brick) | #08225.000 | \$395 | 4320XL Deluxe (2.5" Brick) | #08205.000 | \$325 |
| HF 2927 (3" Brick) | #08225.100 | \$440 | RM II 2922 Deluxe (2.5" Brick) | #08225.000 | \$395 | 5320XL (2.5" Brick) | #08205.000 | \$325 |
| Deluxe 10 1822 (3" Brick) | #08247.100 | \$245 | RM II 2929 SS (2.5" Brick) | #08225.000 | \$395 | 5320XL Deluxe (2.5" Brick) | #08205.000 | \$325 |
| Deluxe 10 2318 (3" Brick) | #08247.200 | \$345 | RM II 2929 Deluxe (2.5" Brick) | #08225.000 | \$395 | 6320XL (2.5" Brick) | #08205.000 | \$325 |
| Deluxe 10 2327 (3" Brick) | #08247.200 | \$345 | RM II 2541 (2.5" Brick) | #08244.000 | \$455 | 6320XL Deluxe (2.5" Brick) | #08205.000 | \$325 |
| Deluxe 10 2918 (3" Brick) | #08247.300 | \$420 | Evolution 2318 | #08249.000 | \$410 | 2918 SS (2.5" Brick) | #08225.000 | \$395 |
| Deluxe 10 2927 (3" Brick) | #08247.300 | \$420 | Evolution 2327 | #08249.000 | \$410 | 2918 Deluxe (2.5" Brick) | #08225.000 | \$395 |
| Deluxe 10 4218 (3" Brick) | #08248.000 | \$630 | Studio 8 - Fiber | #00342.110 | \$51 | 2927 Super (2.5" Brick) | #08225.000 | \$395 |
| Deluxe 10 4227 (3" Brick) | #08248.000 | \$630 | Studio Pro - Fiber | #00342.110 | \$51 | 2927 Super Deluxe (2.5" Brick) | #08225.000 | \$395 |
| RM II 810 (2.5" Brick) | #08160.000 | \$180 | V8 (2.5" Brick) | #00342.202 | \$100 | 2522 (2.5" Brick) | #08244.000 | \$455 |
| RM II 1210 (2.5" Brick) | #08160.000 | \$180 | 810 (2.5" Brick) | #08160.000 | \$180 | 2541 (2.5" Brick) | #08244.000 | \$455 |
| RM II 1210B (2.5" Brick) | #08160.000 | \$180 | 1210 (2.5" Brick) | #08160.000 | \$180 | | | |
| RM II 1413 (2.5" Brick) | #08166.000 | \$205 | 1210B (2.5" Brick) | #08160.000 | \$180 | | | |



| 2.5" Brick – Studio Pro / Studio Pro STP / Studio 8 - U.S. Brick – Thermal Ceramics Brand K-23 | | | | | | | |
|---|--|------------|------|---|--|------------|------|
| Studio 8 / Studio Pro / Studio Pro STP Position – 1 4.5" Tall w/ Element Grooves & Crossover | | #06935.000 | \$13 | Studio 8 / Studio Pro / Studio Pro STP Positions – 2, 3 & 4 4.5" Tall w/ Element Grooves | | #06917.000 | \$13 |
| Studio 8 / Studio Pro / Studio Pro STP Position 5 4.5" Tall x 1.5" Long w/ Element Grooves | | #06917.005 | \$16 | | | | |





| 2.5" Brick – V8 - U.S. Brick – Thermal Ceramics Brand K-23 | | | | |
|---|--|------------|------|--|
| V8 Position – 1 4.5" Tall w/ Element Grooves & Crossover | | #06917.500 | \$13 | |
| V8 Bottom Row – Positions 2, 3 & 4 4.5" Tall x 9" Long Radiused Corner w/ Element Grooves | | #06917.501 | \$13 | |
| V8 Bottom Row – Position 5 4.5" Tall x 1.5" Long w/ Element Grooves | | #06917.502 | \$13 | |
| V8 Top Row – Positions 1,2,3 & 4 2.25" Tall x 9" Long Radiused Corner No Element Grooves | | #06917.503 | \$16 | |
| V8 Top Row – Position 5 2.25" Tall x 1.5" Long No Element Grooves | | #06917.504 | \$16 | |







| 2.5" Brick – RM & Classic SS Models – 6 & 7 Sided Circular | | | | |
|--|--|------------|------|--|
| 6 Sided SS Models 2.25" Tall No Element Grooves | | #06900.000 | \$16 | |
| 6 Sided SS Models 4.5" Tall w/ Element Grooves | | #06920.000 | \$13 | |
| 6 Sided SS Models 4.5" Tall w/ Element Grooves & Crossover | | #06936.000 | \$13 | |
| 7 Sided SS Models 2.25" Tall No Element Grooves | | #06902.000 | \$16 | |
| 7 Sided SS Models 4.5" Tall w/ Element Grooves | | #06922.000 | \$13 | |
| 7 Sided SS Models 4.5" Tall w/ Element Grooves & Crossover | | #06938.000 | \$13 | |





| 2.5" Brick – RM & Classic SS Models – 8 & 10 Sided Circular | | | | |
|---|--|------------|------|--|
| 8 Sided SS Models 2.25" Tall No Element Groove | | #06904.000 | \$16 | |
| 8 Sided SS Models 4.5" Tall w/ Element Grooves | | #06924.000 | \$13 | |
| 8 Sided SS Models 4.5" Tall w/ Element Grooves & Crossover | | #06940.000 | \$13 | |
| 10 Sided SS Models 2.25" Tall No Element Groove | | #06906.000 | \$16 | |
| 10 Sided SS Models 4.5" Tall w/ Element Grooves | | #06926.000 | \$13 | |
| 10 Sided SS Models 4.5" Tall w/ Element Grooves & Crossover | | #06942.000 | \$13 | |









| 2.5" Brick – RM & Classic SS Models – 12 Sided Circular | | | | | | | |
|---|---|------------|------|---|---|------------|------|
| 12 Sided SS Models 2.25" Tall No Element Grooves |  | #06908.000 | \$16 | 12 Sided SS Models 4.5" Tall w/ Element Grooves & Crossover |  | #06944.000 | \$13 |
| 12 Sided SS Models 4.5" Tall w/ Element Grooves |  | #06928.000 | \$13 | | | | |





| 3" Brick – High Fire SS Models – 6 & 7 Sided Circular | | | | |
|--|--|------------|------|--|
| 6 Sided SS Models 2.25" Tall No Element Groove | | #06900.100 | \$16 | |
| 6 Side SS Models 4.5" Tall w/ Element Grooves | | #06920.100 | \$13 | |
| 6 Sided SS Models 4.5" Tall w/ Element Grooves & Crossover | | #06936.100 | \$13 | |
| 7 Sided SS Models 2.25" Tall No Element Groove | | #06947.200 | \$16 | |
| 7 Side SS Models 4.5" Tall w/ Element Grooves | | #06947.201 | \$13 | |
| 7 Sided SS Models 4.5" Tall w/ Element Grooves & Crossover | | #06947.202 | \$13 | |




| 3" Brick – High Fire SS Models – 6, 7, 8, 10 & 12 Sided Circular | | | | |
|---|---|------------|------|--|
| 8 Side SS Models 4.5" Tall w/ Element Grooves |  | #06947.210 | \$13 | |
| 8 Sided SS Models 4.5" Tall w/ Element Grooves & Crossover |  | #06947.211 | \$13 | |
| 10 Side SS Models 4.5" Tall w/ Element Grooves |  | #06947.220 | \$13 | |
| 10 Sided SS Models 4.5" Tall w/ Element Grooves & Crossover |  | #06947.221 | \$13 | |








3" Brick – High Fire SS Models – 6, 7, 8, 10 & 12 Sided Circular


| | | | | | | | |
|---|---|-------------------|-------------|--|---|-------------------|-------------|
| <p>12 Side SS Models 4.5" Tall w/ Element Grooves</p> |  | <p>#06947.230</p> | <p>\$13</p> | <p>12 Sided SS Models 4.5" Tall w/ Element Grooves & Crossover</p> |  | <p>#06947.231</p> | <p>\$13</p> |
|---|---|-------------------|-------------|--|---|-------------------|-------------|




| 2.5" Brick – RM Deluxe, Classic Deluxe & Deluxe 10 Models – 8 & 10 Sided Circular | | | | |
|---|--|------------|------|--|
| 8 Sided Dlx Models 2.25" Tall No Element Groove | | #06912.000 | \$16 | |
| 8 Sided Dlx Models 4.5" Tall w/ Element Grooves | | #06931.000 | \$13 | |
| 8 Sided Dlx Models 4.5" Tall w/ Element Grooves & Crossover | | #06948.000 | \$13 | |
| 10 Sided Dlx Models 2.25" Tall No Element Groove | | #06912.010 | \$16 | |
| 10 Sided Dlx Models 4.5" Tall w/ Element Grooves | | #06931.010 | \$13 | |
| 10 Sided Dlx Models 4.5" Tall w/ Element Grooves & Crossover | | #06948.010 | \$13 | |















| 2.5" Brick – RM Deluxe, Classic Deluxe & Deluxe 10 Models – 12 Sided Circular | | | | | | | |
|---|---|------------|------|--|---|------------|------|
| 12 Sided Dlx Models 2.25" Tall No Element Groove |  | #06912.020 | \$16 | 12 Sided Dlx Models 4.5" Tall w/ Element Grooves & Crossover |  | #06948.020 | \$13 |
| 12 Sided Dlx Models 4.5" Tall w/ Element Grooves |  | #06931.020 | \$13 | | | | |



| 3" Brick – Evolution Models | | | | | | | |
|--|--|------------|------|--|--|------------|------|
| Evolution 23 – Position 1 4.5" Tall w/ Element Grooves & Crossover | | #06881.403 | \$13 | Evolution 23 – Positions 3, 6, 9 & 12 4.5" Tall w/ Element Grooves | | #06881.423 | \$13 |
| Evolution 23 – Positions 2, 5, 8 & 11 4.5" Tall w/ Element Grooves | | #06881.413 | \$13 | Evolution 23 – Positions 4, 7, 10 4.5" Tall w/ Element Grooves | | #06881.433 | \$13 |



| 2.5" Brick – RM & Classic 2522 & 2541 SS Models (Oval) | | | | | | | |
|--|---|------------|------|---|---|------------|------|
| 2541 SS – Position 1 4.5" Tall w/ Element Grooves & Crossover |  | #06950.001 | \$13 | 2541 SS – Positions 2 & 9 2.25" Tall No Element Grooves |  | #06950.007 | \$16 |
| 2541 SS – Positions 2 & 9 4.5" Tall w/ Element Grooves |  | #06950.002 | \$13 | 2541 SS – Positions 3 & 10 2.25" Tall No Element Grooves |  | #06950.008 | \$16 |
| 2541 SS – Positions 3 & 10 4.5" Tall w/ Element Grooves |  | #06950.003 | \$13 | 2541 SS – Positions 4 & 11 2.25" Tall No Element Grooves |  | #06950.009 | \$16 |
| 2541 SS – Positions 4 & 11 4.5" Tall w/ Element Grooves |  | #06950.004 | \$13 | 2541 SS – Positions 1, 5, 8 & 12 2.25" Tall No Element Grooves |  | #06950.010 | \$16 |
| 2541 SS – Positions 5, 8 & 12 4.5" Tall w/ Element Grooves |  | #06950.005 | \$13 | 2541 SS – Positions 6, 7, 13 & 14 2.25" Tall No Element Grooves |  | #06950.011 | \$16 |
| 2541 SS – Positions 6, 7, 13 & 14 4.5" Tall w/ Element Grooves |  | #06950.006 | \$13 | | | | |



| 2.5" Brick – Deluxe 10 4218 & 4227 Models (Oval) | | | | | | | |
|--|--|------------|------|--|--|------------|------|
| Deluxe 10 Oval Position 1 4.5" Tall w/ Element Grooves & Crossover | | #06952.001 | \$13 | Deluxe 10 Oval Positions 4 & 12 4.5" Tall w/ Element Grooves | | #06952.004 | \$16 |
| Deluxe 10 Oval Positions 2, 6, 10 & 14 4.5" Tall w/ Element Grooves | | #06952.002 | \$13 | Deluxe 10 Oval Positions 7, 9 & 15 4.5" Tall w/ Element Grooves | | #06952.005 | \$13 |
| Deluxe 10 Oval Positions 3, 5, 11 & 13 4.5" Tall w/ Element Grooves | | #06952.003 | \$13 | Deluxe 10 Oval Positions 8 & 16 4.5" Tall w/ Element Grooves | | #06952.006 | \$13 |

